


	
Brand:	Panasonic
Model:	CGR18650C
Capacity:	2150mAh Rated
Voltage:	3.60V Nominal
Charging:	4.20V Maximum 1428mA Standard --- mA Maximum
Discharging:	3.00V Cutoff 408mA Standard 4080mA Maximum
Description:	Blue Cell Wrapper White Insulator Ring 18650 Form Factor

	
Brand:	Lishen (LS)
Model:	LR1865LA
Capacity:	2000mAh Rated
Voltage:	3.60V Nominal
Charging:	4.20V Maximum 2000mA Standard --- mA Maximum
Discharging:	2.75V Cutoff 2000mA Standard --- mA Maximum
Description:	Green Cell Wrapper Grey Insulator Ring 18650 Form Factor

	
Brand:	ATL
Model:	INR18650
Capacity:	2000mAh Rated
Voltage:	3.70V Nominal
Charging:	--- V Maximum --- mA Standard --- mA Maximum
Discharging:	--- V Cutoff --- mA Standard --- mA Maximum
Description:	Blue Cell Wrapper White Insulator Ring 18650 Form Factor

	
Brand:	Sanyo
Model:	UR18650H
Capacity:	1900mAh Rated
Voltage:	3.70V Nominal
Charging:	4.20V Maximum 1900mA Standard --- mA Maximum
Discharging:	2.50V Cutoff 330mA Standard --- mA Maximum
Description:	Red Cell Wrapper Black Insulator Ring 18650 Form Factor

	
Brand:	LG
Model:	LGEP218650
Capacity:	--- mAh Rated
Voltage:	--- V Nominal
Charging:	--- V Maximum --- mA Standard --- mA Maximum
Discharging:	--- V Cutoff --- mA Standard --- mA Maximum
Description:	Purple Cell Wrapper White Insulator Ring 18650 Form Factor

	
Brand:	Samsung
Model:	ICR18650-22
Capacity:	2200mAh Rated
Voltage:	3.70V Nominal
Charging:	4.20V Maximum 1100mA Standard --- mA Maximum
Discharging:	2.75V Cutoff 440mA Standard --- mA Maximum
Description:	Teal Cell Wrapper Blue (Light) Insulator Ring 18650 Form Factor

	
Brand:	Sanyo
Model:	UR18650F (R1122)
Capacity:	2500mAh Rated
Voltage:	3.70V Nominal
Charging:	4.20V Maximum 1750mA Standard 2500mA Maximum
Discharging:	3.00V Cutoff 2500mA Standard 5000mA Maximum
Description:	Red Cell Wrapper Blue (Cyan) Insulator Ring 18650 Form Factor

	
Brand:	Panasonic
Model:	NCR18650D
Capacity:	2900mAh Rated
Voltage:	3.70V Nominal
Charging:	4.20V Maximum 1780mA Standard --- mA Maximum
Discharging:	2.50V Cutoff 0mA Standard --- mA Maximum
Description:	Gray Cell Wrapper White Insulator Ring 18650 Form Factor

	
Brand:	HYB
Model:	ICR18650NM
Capacity:	--- mAh Rated
Voltage:	--- V Nominal
Charging:	--- V Maximum --- mA Standard --- mA Maximum
Discharging:	--- V Cutoff --- mA Standard --- mA Maximum
Description:	Turquoise Cell Wrapper White Insulator Ring 18650 Form Factor

	
Brand:	LG
Model:	LGCH118650
Capacity:	--- mAh Rated
Voltage:	--- V Nominal
Charging:	--- V Maximum --- mA Standard --- mA Maximum
Discharging:	--- V Cutoff --- mA Standard --- mA Maximum
Description:	Yellow Cell Wrapper White Insulator Ring 18650 Form Factor

	
Brand:	Samsung
Model:	ICR18650-26D
Capacity:	2600mAh Rated
Voltage:	3.70V Nominal
Charging:	4.20V Maximum 1300mA Standard --- mA Maximum
Discharging:	2.75V Cutoff 520mA Standard --- mA Maximum
Description:	Pink Cell Wrapper White Insulator Ring 18650 Form Factor

	
Brand:	Samsung
Model:	ICR18650-26C
Capacity:	2600mAh Rated
Voltage:	3.70V Nominal
Charging:	4.20V Maximum 1300mA Standard 2600mA Maximum
Discharging:	2.75V Cutoff 520mA Standard 5200mA Maximum
Description:	Pink Cell Wrapper White Insulator Ring 18650 Form Factor

	
Brand:	LG
Model:	LGAAS41865
Capacity:	2200mAh Rated
Voltage:	3.70V Nominal
Charging:	4.20V Maximum 750mA Standard --- mA Maximum
Discharging:	2.75V Cutoff --- mA Standard --- mA Maximum
Description:	Purple (Dark) Cell Wrapper White Insulator Ring 18650 Form Factor

	
Brand:	Unknown
Model:	ICR18650-23A-HENV
Capacity:	--- mAh Rated
Voltage:	--- V Nominal
Charging:	--- V Maximum --- mA Standard --- mA Maximum
Discharging:	--- V Cutoff --- mA Standard --- mA Maximum
Description:	Turquoise Cell Wrapper Translucent Insulator Ring 18650 Form Factor

	
Brand:	BAK
Model:	B18650CA
Capacity:	2250mAh Rated
Voltage:	3.60V Nominal
Charging:	4.20V Maximum 1100mA Standard 2250mA Maximum
Discharging:	2.75V Cutoff 1100mA Standard 4500mA Maximum
Description:	Green (Light) Cell Wrapper White Insulator Ring 18650 Form Factor

	
Brand:	Lishen (LS)
Model:	LR1865SF
Capacity:	2200mAh Rated
Voltage:	3.70V Nominal
Charging:	4.20V Maximum 1075mA Standard 1250mA Maximum
Discharging:	3.00V Cutoff 1075mA Standard 4300mA Maximum
Description:	Gray Cell Wrapper White Insulator Ring 18650 Form Factor

	
Brand:	LG
Model:	LGAAS31865
Capacity:	2200mAh Rated
Voltage:	3.60V Nominal
Charging:	4.20V Maximum 1075mA Standard 2150mA Maximum
Discharging:	3.00V Cutoff 430mA Standard 3225mA Maximum
Description:	Blue Cell Wrapper White Insulator Ring 18650 Form Factor

	
Brand:	LG
Model:	LGCP218650
Capacity:	2500mAh Rated
Voltage:	3.60V Nominal
Charging:	4.20V Maximum 480mA Standard --- mA Maximum
Discharging:	--- V Cutoff --- mA Standard --- mA Maximum
Description:	Purple (Dark) Cell Wrapper White Insulator Ring 18650 Form Factor

	
Brand:	LG
Model:	LGDAHD2C1865
Capacity:	2100mAh Rated
Voltage:	3.65V Nominal
Charging:	4.20V Maximum 1050mA Standard 4000mA Maximum
Discharging:	2.50V Cutoff 420mA Standard 20000mA Maximum
Description:	Peach Cell Wrapper White Insulator Ring 18650 Form Factor

	
Brand:	LG
Model:	LGDAHB21865 (ICR18650HB2)
Capacity:	1500mAh Rated
Voltage:	3.65V Nominal
Charging:	4.20V Maximum 750mA Standard 4000mA Maximum
Discharging:	2.50V Cutoff 300mA Standard 30000mA Maximum
Description:	Teal Cell Wrapper White Insulator Ring 18650 Form Factor

	
Brand:	Sanyo
Model:	UR18650ZTA
Capacity:	2900mAh Rated
Voltage:	3.70V Nominal
Charging:	4.35V Maximum 1450mA Standard --- mA Maximum
Discharging:	3.00V Cutoff 580mA Standard 5800mA Maximum
Description:	Purple Cell Wrapper Yellow Insulator Ring 18650 Form Factor

	
Brand:	DLG
Model:	N18650
Capacity:	2200mAh Rated
Voltage:	3.60V Nominal
Charging:	4.20V Maximum 1100mA Standard 2200mA Maximum
Discharging:	2.75V Cutoff 440mA Standard 4400mA Maximum
Description:	Blue Cell Wrapper White Insulator Ring 18650 Form Factor

	
Brand:	LG
Model:	LGABF1L1865 (INR18650F1L)
Capacity:	3350mAh Rated
Voltage:	3.63V Nominal
Charging:	4.20V Maximum 975mA Standard 1625mA Maximum
Discharging:	2.50V Cutoff 650mA Standard 4875mA Maximum
Description:	Purple (Light) Cell Wrapper White Insulator Ring 18650 Form Factor

	
Brand:	Sanyo
Model:	UR18650A
Capacity:	2100mAh Rated
Voltage:	3.60V Nominal
Charging:	4.20V Maximum 1510mA Standard --- mA Maximum
Discharging:	2.75V Cutoff 420mA Standard 6300mA Maximum
Description:	Red Cell Wrapper White Insulator Ring 18650 Form Factor

	
Brand:	Unknown
Model:	D18650
Capacity:	--- mAh Rated
Voltage:	--- V Nominal
Charging:	--- V Maximum --- mA Standard --- mA Maximum
Discharging:	--- V Cutoff --- mA Standard --- mA Maximum
Description:	Green Cell Wrapper White Insulator Ring 18650 Form Factor

	
Brand:	Panasonic
Model:	NCR18650B
Capacity:	3200mAh Rated
Voltage:	3.60V Nominal
Charging:	4.20V Maximum 1625mA Standard --- mA Maximum
Discharging:	2.50V Cutoff 640mA Standard 6400mA Maximum
Description:	Green (Light) Cell Wrapper White Insulator Ring 18650 Form Factor

	
Brand:	Sanyo
Model:	UR18650FM
Capacity:	2500mAh Rated
Voltage:	3.70V Nominal
Charging:	4.20V Maximum 1750mA Standard --- mA Maximum
Discharging:	2.75V Cutoff 500mA Standard --- mA Maximum
Description:	Red Cell Wrapper Black Insulator Ring 18650 Form Factor

	
Brand:	Samsung
Model:	ICR18650-32A
Capacity:	3200mAh Rated
Voltage:	3.75V Nominal
Charging:	4.35V Maximum 1600mA Standard 3200mA Maximum
Discharging:	2.75V Cutoff 640mA Standard 6400mA Maximum
Description:	Purple (Light) Cell Wrapper White Insulator Ring 18650 Form Factor

	
Brand:	Hitachi Maxell (HM)
Model:	INR18650PB1
Capacity:	1450mAh Rated
Voltage:	--- V Nominal
Charging:	3.70V Maximum 1000mA Standard 4000mA Maximum
Discharging:	2.50V Cutoff 290mA Standard 15000mA Maximum
Description:	Grey (Dark) Cell Wrapper Black Insulator Ring 18650 Form Factor

	
Brand:	FP
Model:	18650-1800mAh
Capacity:	1800mAh Rated
Voltage:	--- V Nominal
Charging:	--- V Maximum --- mA Standard --- mA Maximum
Discharging:	--- V Cutoff --- mA Standard --- mA Maximum
Description:	Green Cell Wrapper White Insulator Ring 18650 Form Factor

	
Brand:	Uni-Sun
Model:	E18650 (UN-010)
Capacity:	2400mAh Rated
Voltage:	--- V Nominal
Charging:	--- V Maximum --- mA Standard --- mA Maximum
Discharging:	--- V Cutoff --- mA Standard --- mA Maximum
Description:	Orange Cell Wrapper White Insulator Ring 18650 Form Factor

	
Brand:	FP
Model:	18650-2000mAh
Capacity:	2000mAh Rated
Voltage:	--- V Nominal
Charging:	--- V Maximum --- mA Standard --- mA Maximum
Discharging:	--- V Cutoff --- mA Standard --- mA Maximum
Description:	Blue Cell Wrapper White Insulator Ring 18650 Form Factor

	
Brand:	Samsung
Model:	ICR18650-24F
Capacity:	2400mAh Rated
Voltage:	3.70V Nominal
Charging:	4.20V Maximum 1200mA Standard 2400mA Maximum
Discharging:	2.75V Cutoff 480mA Standard 4800mA Maximum
Description:	Green Cell Wrapper White Insulator Ring 18650 Form Factor

	
Brand:	BAK
Model:	18650C4
Capacity:	2200mAh Rated
Voltage:	3.70V Nominal
Charging:	4.20V Maximum 440mA Standard 2200mA Maximum
Discharging:	3.00V Cutoff 440mA Standard 2200mA Maximum
Description:	Turquoise Cell Wrapper White Insulator Ring 18650 Form Factor

	
Brand:	Panasonic
Model:	CGR18650D
Capacity:	2350mAh Rated
Voltage:	3.60V Nominal
Charging:	4.20V Maximum 1428mA Standard --- mA Maximum
Discharging:	3.00V Cutoff 408mA Standard 4500mA Maximum
Description:	Teal (Light) Cell Wrapper White Insulator Ring 18650 Form Factor

	
Brand:	Sanyo
Model:	UR18650W2
Capacity:	1500mAh Rated
Voltage:	3.70V Nominal
Charging:	4.20V Maximum 1050mA Standard --- mA Maximum
Discharging:	2.75V Cutoff 300mA Standard --- mA Maximum
Description:	Red Cell Wrapper Pink Insulator Ring 18650 Form Factor

	
Brand:	LG
Model:	LGEAMF11865 (ICR18650MF1)
Capacity:	2150mAh Rated
Voltage:	3.65V Nominal
Charging:	4.20V Maximum 1075mA Standard 2150mA Maximum
Discharging:	2.75V Cutoff 430mA Standard 10000mA Maximum
Description:	Purple Cell Wrapper White Insulator Ring 18650 Form Factor

	
Brand:	Sanyo
Model:	UR18650Y
Capacity:	1850mAh Rated
Voltage:	3.70V Nominal
Charging:	4.20V Maximum 1330mA Standard --- mA Maximum
Discharging:	2.50V Cutoff --- mA Standard --- mA Maximum
Description:	Red Cell Wrapper Green (Light) Insulator Ring 18650 Form Factor

	
Brand:	Samsung
Model:	ICR18650-26H
Capacity:	2600mAh Rated
Voltage:	3.63V Nominal
Charging:	4.20V Maximum 1300mA Standard --- mA Maximum
Discharging:	2.75V Cutoff 520mA Standard --- mA Maximum
Description:	Pink Cell Wrapper White Insulator Ring 18650 Form Factor

	
Brand:	Samsung
Model:	ICR18650-26FU
Capacity:	2600mAh Rated
Voltage:	3.70V Nominal
Charging:	4.20V Maximum 1300mA Standard 2600mA Maximum
Discharging:	2.75V Cutoff 520mA Standard 5200mA Maximum
Description:	Pink Cell Wrapper White Insulator Ring 18650 Form Factor

	
Brand:	Moli Energy
Model:	ICR-18650K
Capacity:	2600mAh Rated
Voltage:	3.70V Nominal
Charging:	4.20V Maximum 1820mA Standard 2600mA Maximum
Discharging:	3.00V Cutoff 520mA Standard 5000mA Maximum
Description:	Purple Cell Wrapper Blue (Dark) Insulator Ring 18650 Form Factor

	
Brand:	Moli Energy
Model:	ICR-18650J
Capacity:	2300mAh Rated
Voltage:	3.76V Nominal
Charging:	4.20V Maximum 1250mA Standard 2400mA Maximum
Discharging:	3.00V Cutoff 480mA Standard 5000mA Maximum
Description:	Blue Cell Wrapper Black Insulator Ring 18650 Form Factor

	
Brand:	LG
Model:	LGDBHG21865 (INR18650HG2)
Capacity:	3000mAh Rated
Voltage:	3.60V Nominal
Charging:	4.20V Maximum 1500mA Standard 4000mA Maximum
Discharging:	2.00V Cutoff 600mA Standard 20000mA Maximum
Description:	Brown Cell Wrapper White Insulator Ring 18650 Form Factor

	
Brand:	Samsung
Model:	INR18650-25R
Capacity:	2500mAh Rated
Voltage:	3.60V Nominal
Charging:	4.20V Maximum 1250mA Standard 4000mA Maximum
Discharging:	2.50V Cutoff 500mA Standard 20000mA Maximum
Description:	Green Cell Wrapper White Insulator Ring 18650 Form Factor

	
Brand:	Samsung
Model:	ICR18650-22FU
Capacity:	2200mAh Rated
Voltage:	3.60V Nominal
Charging:	4.20V Maximum 1100mA Standard 2200mA Maximum
Discharging:	2.75V Cutoff 2200mA Standard 4400mA Maximum
Description:	Green Cell Wrapper White Insulator Ring 18650 Form Factor

	
Brand:	LG
Model:	LGDBB41865 (ICR18650B4)
Capacity:	2600mAh Rated
Voltage:	3.60V Nominal
Charging:	4.20V Maximum 1250mA Standard 2500mA Maximum
Discharging:	2.75V Cutoff 500mA Standard 3750mA Maximum
Description:	Grey Cell Wrapper White Insulator Ring 18650 Form Factor

	
Brand:	Panasonic
Model:	NCR18650A
Capacity:	2900mAh Rated
Voltage:	3.60V Nominal
Charging:	4.20V Maximum 1475mA Standard --- mA Maximum
Discharging:	2.50V Cutoff 580mA Standard 5800mA Maximum
Description:	Green Cell Wrapper White Insulator Ring 18650 Form Factor

	
Brand:	Moli Energy
Model:	ICR-18650M
Capacity:	2800mAh Rated
Voltage:	3.70V Nominal
Charging:	4.20V Maximum 1400mA Standard 2800mA Maximum
Discharging:	2.50V Cutoff 560mA Standard 5600mA Maximum
Description:	Purple Cell Wrapper Black Insulator Ring 18650 Form Factor

	
Brand:	Panasonic
Model:	CGR18650H
Capacity:	1500mAh Rated
Voltage:	3.70V Nominal
Charging:	4.20V Maximum 980mA Standard --- mA Maximum
Discharging:	3.00V Cutoff 280mA Standard 1560mA Maximum
Description:	Purple Cell Wrapper Black Insulator Ring 18650 Form Factor

	
Brand:	LG
Model:	LGEAS318650 (ICR18650S3)
Capacity:	2200mAh Rated
Voltage:	3.60V Nominal
Charging:	4.20V Maximum 1075mA Standard 2150mA Maximum
Discharging:	3.00V Cutoff 430mA Standard 4300mA Maximum
Description:	Blue Cell Wrapper White Insulator Ring 18650 Form Factor

	
Brand:	Lishen (LS)
Model:	LR18650SK
Capacity:	2600mAh Rated
Voltage:	3.70V Nominal
Charging:	4.20V Maximum 1300mA Standard 1300mA Maximum
Discharging:	2.75V Cutoff 1300mA Standard 5200mA Maximum
Description:	Green Cell Wrapper Blue (Light) Insulator Ring 18650 Form Factor

	
Brand:	Lei
Model:	INR-18650-CE
Capacity:	2200mAh Rated
Voltage:	3.60V Nominal
Charging:	--- V Maximum --- mA Standard --- mA Maximum
Discharging:	--- V Cutoff --- mA Standard --- mA Maximum
Description:	Green Cell Wrapper White Insulator Ring 18650 Form Factor

	
Brand:	Moli Energy
Model:	ICR-18650
Capacity:	--- mAh Rated
Voltage:	--- V Nominal
Charging:	--- V Maximum --- mA Standard --- mA Maximum
Discharging:	--- V Cutoff --- mA Standard --- mA Maximum
Description:	Turquoise Cell Wrapper Black Insulator Ring 18650 Form Factor

	
Brand:	FST
Model:	20650-3350mAh
Capacity:	3350mAh Rated
Voltage:	3.60V Nominal
Charging:	4.20V Maximum 1675mA Standard 3350mA Maximum
Discharging:	2.75V Cutoff 1675mA Standard 6700mA Maximum
Description:	Blue (Dark) Cell Wrapper White Insulator Ring 20650 Form Factor

	
Brand:	Lishen (LS)
Model:	LR1865BC
Capacity:	--- mAh Rated
Voltage:	--- V Nominal
Charging:	--- V Maximum --- mA Standard --- mA Maximum
Discharging:	--- V Cutoff --- mA Standard --- mA Maximum
Description:	Orange Cell Wrapper White Insulator Ring 18650 Form Factor

	
Brand:	LG
Model:	LGCS218650
Capacity:	2200mAh Rated
Voltage:	3.70V Nominal
Charging:	4.20V Maximum 430mA Standard 2150mA Maximum
Discharging:	3.00V Cutoff 430mA Standard 4300mA Maximum
Description:	Peach Cell Wrapper White Insulator Ring 18650 Form Factor

	
Brand:	LG
Model:	LGAAMF11865
Capacity:	2150mAh Rated
Voltage:	3.65V Nominal
Charging:	4.20V Maximum 1075mA Standard 2150mA Maximum
Discharging:	2.75V Cutoff 430mA Standard 10000mA Maximum
Description:	Purple Cell Wrapper White Insulator Ring 18650 Form Factor

	
Brand:	LG
Model:	LGDAHB61865
Capacity:	1500mAh Rated
Voltage:	3.65V Nominal
Charging:	4.20V Maximum 750mA Standard 4000mA Maximum
Discharging:	2.00V Cutoff 300mA Standard 30000mA Maximum
Description:	Red (Dark) Cell Wrapper White Insulator Ring 18650 Form Factor

	
Brand:	LG
Model:	LGDAMF11865
Capacity:	2150mAh Rated
Voltage:	3.65V Nominal
Charging:	4.20V Maximum 1075mA Standard 2150mA Maximum
Discharging:	2.75V Cutoff 430mA Standard 10000mA Maximum
Description:	Purple Cell Wrapper White Insulator Ring 18650 Form Factor

	
Brand:	YikLik (YLE)
Model:	INR18650A220
Capacity:	2200mAh Rated
Voltage:	3.60V Nominal
Charging:	4.20V Maximum 4400mA Standard 2200mA Maximum
Discharging:	3.00V Cutoff 440mA Standard 2200mA Maximum
Description:	Red Cell Wrapper Black Insulator Ring 18650 Form Factor

	
Brand:	LG
Model:	LGABC41865 (INR18650C4)
Capacity:	2750mAh Rated
Voltage:	3.65V Nominal
Charging:	4.20V Maximum 1375mA Standard 2750mA Maximum
Discharging:	2.75V Cutoff 550mA Standard 5500mA Maximum
Description:	Brown Cell Wrapper White Insulator Ring 18650 Form Factor

	
Brand:	Panasonic
Model:	CGR18650HG
Capacity:	1800mAh Rated
Voltage:	3.60V Nominal
Charging:	4.20V Maximum 1190mA Standard --- mA Maximum
Discharging:	3.00V Cutoff 340mA Standard 3400mA Maximum
Description:	Orange Cell Wrapper Black Insulator Ring 18650 Form Factor

	
Brand:	Samsung
Model:	ICR18650-24A
Capacity:	2400mAh Rated
Voltage:	3.70V Nominal
Charging:	4.20V Maximum 1200mA Standard 2400mA Maximum
Discharging:	2.75V Cutoff 480mA Standard 4800mA Maximum
Description:	Blue (Dark) Cell Wrapper Blue Insulator Ring 18650 Form Factor

	
Brand:	Unknown
Model:	FP-ICR18650
Capacity:	--- mAh Rated
Voltage:	--- V Nominal
Charging:	--- V Maximum --- mA Standard --- mA Maximum
Discharging:	--- V Cutoff --- mA Standard --- mA Maximum
Description:	Blue Cell Wrapper White Insulator Ring 18650 Form Factor

	
Brand:	Panasonic
Model:	NCR18650BE
Capacity:	3000mAh Rated
Voltage:	3.60V Nominal
Charging:	4.20V Maximum 909mA Standard --- mA Maximum
Discharging:	2.50V Cutoff 606mA Standard 3636mA Maximum
Description:	Green (Light) Cell Wrapper White Insulator Ring 18650 Form Factor

	
Brand:	LG
Model:	LGDBC21865 (ICR18650C2)
Capacity:	2800mAh Rated
Voltage:	3.72V Nominal
Charging:	4.30V Maximum 540mA Standard 2700mA Maximum
Discharging:	3.00V Cutoff 540mA Standard 5400mA Maximum
Description:	Orange Cell Wrapper White Insulator Ring 18650 Form Factor

	
Brand:	Panasonic
Model:	CGR18650HGL
Capacity:	1800mAh Rated
Voltage:	3.60V Nominal
Charging:	4.20V Maximum 1190mA Standard --- mA Maximum
Discharging:	3.00V Cutoff 340mA Standard 3400mA Maximum
Description:	Purple (Dark) Cell Wrapper Black Insulator Ring 18650 Form Factor

	
Brand:	Samsung
Model:	ICR18650-18
Capacity:	1800mAh Rated
Voltage:	--- V Nominal
Charging:	--- V Maximum --- mA Standard --- mA Maximum
Discharging:	--- V Cutoff --- mA Standard --- mA Maximum
Description:	Green (Light) Cell Wrapper White Insulator Ring 18650 Form Factor

	
Brand:	Samsung
Model:	ICR18650-20
Capacity:	2000mAh Rated
Voltage:	3.70V Nominal
Charging:	4.20V Maximum 1000mA Standard --- mA Maximum
Discharging:	2.75V Cutoff 400mA Standard 4000mA Maximum
Description:	Blue Cell Wrapper White Insulator Ring 18650 Form Factor

	
Brand:	LG
Model:	LGDA2E18650
Capacity:	2250mAh Rated
Voltage:	3.70V Nominal
Charging:	4.20V Maximum 1000mA Standard --- mA Maximum
Discharging:	3.00V Cutoff 500mA Standard --- mA Maximum
Description:	Grey Cell Wrapper White Insulator Ring 18650 Form Factor

	
Brand:	BFN
Model:	18650-2200
Capacity:	2200mAh Rated
Voltage:	3.70V Nominal
Charging:	4.20V Maximum 440mA Standard 2200mA Maximum
Discharging:	3.00V Cutoff 440mA Standard 6600mA Maximum
Description:	Blue Cell Wrapper Black Insulator Ring 18650 Form Factor

	
Brand:	LG
Model:	LGDBHE21865 (IMR18650HE2)
Capacity:	2500mAh Rated
Voltage:	3.70V Nominal
Charging:	4.20V Maximum 1250mA Standard 4000mA Maximum
Discharging:	2.00V Cutoff 500mA Standard 20000mA Maximum
Description:	Red (Dark) Cell Wrapper White Insulator Ring 18650 Form Factor

	
Brand:	Samsung
Model:	ICR18650-26J
Capacity:	2600mAh Rated
Voltage:	3.63V Nominal
Charging:	4.20V Maximum 1300mA Standard 2600mA Maximum
Discharging:	2.75V Cutoff 520mA Standard 5200mA Maximum
Description:	Pink Cell Wrapper White Insulator Ring 18650 Form Factor

	
Brand:	Panasonic
Model:	CGR18650CA
Capacity:	2200mAh Rated
Voltage:	3.70V Nominal
Charging:	4.20V Maximum --- mA Standard --- mA Maximum
Discharging:	--- V Cutoff 440mA Standard --- mA Maximum
Description:	Pink Cell Wrapper Black Insulator Ring 18650 Form Factor

	
Brand:	Panasonic
Model:	CGR18650HM
Capacity:	1630mAh Rated
Voltage:	3.70V Nominal
Charging:	4.20V Maximum 1120mA Standard --- mA Maximum
Discharging:	3.00V Cutoff 320mA Standard --- mA Maximum
Description:	Yellow Cell Wrapper Black Insulator Ring 18650 Form Factor

	
Brand:	Great Power
Model:	ICR 18650
Capacity:	2000mAh Rated
Voltage:	3.70V Nominal
Charging:	4.20V Maximum 2000mA Standard 4000mA Maximum
Discharging:	2.75V Cutoff 2000mA Standard 4000mA Maximum
Description:	Orange Cell Wrapper White Insulator Ring 18650 Form Factor

	
Brand:	Samsung
Model:	INR18650-15M
Capacity:	1500mAh Rated
Voltage:	3.60V Nominal
Charging:	4.20V Maximum 750mA Standard 4000mA Maximum
Discharging:	2.50V Cutoff 1500mA Standard 23000mA Maximum
Description:	Blue (Light) Cell Wrapper White Insulator Ring 18650 Form Factor

	
Brand:	Samsung
Model:	ICR18650-20B
Capacity:	2000mAh Rated
Voltage:	3.70V Nominal
Charging:	4.20V Maximum 1000mA Standard --- mA Maximum
Discharging:	2.75V Cutoff 400mA Standard 4000mA Maximum
Description:	Blue (Light) Cell Wrapper White Insulator Ring 18650 Form Factor


	
Brand:	Panasonic
Model:	CGR18650
Capacity:	1400mAh Rated
Voltage:	3.70V Nominal
Charging:	4.20V Maximum 910mA Standard --- mA Maximum
Discharging:	3.00V Cutoff 260mA Standard 1560mA Maximum
Description:	Pink Cell Wrapper Black Insulator Ring 18650 Form Factor

	
Brand:	BAK
Model:	C18650CC
Capacity:	2600mAh Rated
Voltage:	3.70V Nominal
Charging:	4.20V Maximum 2600mA Standard 2600mA Maximum
Discharging:	3.00V Cutoff 1300mA Standard 5200mA Maximum
Description:	Gray Cell Wrapper White Insulator Ring 18650 Form Factor

	
Brand:	LG
Model:	LGCS318650
Capacity:	2200mAh Rated
Voltage:	3.60V Nominal
Charging:	4.20V Maximum 1075mA Standard --- mA Maximum
Discharging:	--- V Cutoff 430mA Standard --- mA Maximum
Description:	Blue Cell Wrapper White Insulator Ring 18650 Form Factor

	
Brand:	Samsung
Model:	ICR18650-26A
Capacity:	2600mAh Rated
Voltage:	3.70V Nominal
Charging:	4.20V Maximum 1300mA Standard 2600mA Maximum
Discharging:	2.75V Cutoff 520mA Standard 5200mA Maximum
Description:	Pink Cell Wrapper White Insulator Ring 18650 Form Factor

	
Brand:	Panasonic
Model:	CGR18650EA
Capacity:	2550mAh Rated
Voltage:	3.70V Nominal
Charging:	4.20V Maximum 1715mA Standard --- mA Maximum
Discharging:	3.00V Cutoff 490mA Standard 4900mA Maximum
Description:	Green (Light) Cell Wrapper White Insulator Ring 18650 Form Factor

	
Brand:	Sanyo
Model:	NCR18650BL
Capacity:	3200mAh Rated
Voltage:	3.60V Nominal
Charging:	4.20V Maximum 1620mA Standard --- mA Maximum
Discharging:	2.50V Cutoff 650mA Standard 7000mA Maximum
Description:	Red Cell Wrapper Black Insulator Ring 18650 Form Factor

	
Brand:	Panasonic
Model:	NCR18650
Capacity:	2900mAh Rated
Voltage:	3.60V Nominal
Charging:	4.20V Maximum 1925mA Standard --- mA Maximum
Discharging:	2.50V Cutoff 580mA Standard 5400mA Maximum
Description:	Gray Cell Wrapper White Insulator Ring 18650 Form Factor

	
Brand:	Panasonic
Model:	CGR18650CH
Capacity:	2250mAh Rated
Voltage:	3.60V Nominal
Charging:	4.20V Maximum 1500mA Standard --- mA Maximum
Discharging:	2.50V Cutoff 430mA Standard 4300mA Maximum
Description:	Gray Cell Wrapper White Insulator Ring 18650 Form Factor

	
Brand:	LG
Model:	LGABD11865 (ICR18650D1)
Capacity:	3000mAh Rated
Voltage:	3.75V Nominal
Charging:	4.35V Maximum 1450mA Standard 2900mA Maximum
Discharging:	3.00V Cutoff 580mA Standard 5800mA Maximum
Description:	Pink Cell Wrapper White Insulator Ring 18650 Form Factor

	
Brand:	LG
Model:	LGDB218650 (ICR18650B2)
Capacity:	2600mAh Rated
Voltage:	3.70V Nominal
Charging:	4.20V Maximum 1250mA Standard 2500mA Maximum
Discharging:	3.00V Cutoff 500mA Standard 3750mA Maximum
Description:	Pink Cell Wrapper White Insulator Ring 18650 Form Factor

	
Brand:	LG
Model:	LGDBB31865 (ICR18650B3)
Capacity:	2600mAh Rated
Voltage:	3.70V Nominal
Charging:	4.20V Maximum 1250mA Standard 2500mA Maximum
Discharging:	3.00V Cutoff 500mA Standard 3750mA Maximum
Description:	Purple (Dark) Cell Wrapper White Insulator Ring 18650 Form Factor

	
Brand:	Panasonic
Model:	CGR18650E
Capacity:	2550mAh Rated
Voltage:	3.60V Nominal
Charging:	4.20V Maximum 1715mA Standard --- mA Maximum
Discharging:	3.00V Cutoff 490mA Standard 4900mA Maximum
Description:	Pink Cell Wrapper White Insulator Ring 18650 Form Factor

	
Brand:	Samsung
Model:	ICR18650-26F
Capacity:	2600mAh Rated
Voltage:	3.70V Nominal
Charging:	4.20V Maximum 1300mA Standard 2600mA Maximum
Discharging:	2.75V Cutoff 520mA Standard 5200mA Maximum
Description:	Pink Cell Wrapper White Insulator Ring 18650 Form Factor

	
Brand:	Samsung
Model:	INR18650-29E
Capacity:	2900mAh Rated
Voltage:	3.62V Nominal
Charging:	4.20V Maximum 1375mA Standard 2750mA Maximum
Discharging:	2.50V Cutoff 550mA Standard 2750mA Maximum
Description:	Purple (Light) Cell Wrapper White Insulator Ring 18650 Form Factor

	
Brand:	Panasonic
Model:	CGR18650CF
Capacity:	2250mAh Rated
Voltage:	3.60V Nominal
Charging:	4.20V Maximum 1575mA Standard --- mA Maximum
Discharging:	3.00V Cutoff 675mA Standard 4300mA Maximum
Description:	Purple (Light) Cell Wrapper White Insulator Ring 18650 Form Factor

	
Brand:	Lishen (LS)
Model:	LR1865AH
Capacity:	2200mAh Rated
Voltage:	3.70V Nominal
Charging:	4.20V Maximum 1100mA Standard 2200mA Maximum
Discharging:	3.00V Cutoff 1100mA Standard 4400mA Maximum
Description:	Purple (Light) Cell Wrapper White Insulator Ring 18650 Form Factor

	
Brand:	Panasonic
Model:	CGR18650DA
Capacity:	2450mAh Rated
Voltage:	3.60V Nominal
Charging:	4.20V Maximum 1630mA Standard --- mA Maximum
Discharging:	3.00V Cutoff 466mA Standard 4660mA Maximum
Description:	Purple Cell Wrapper White Insulator Ring 18650 Form Factor

	
Brand:	Samsung
Model:	ICR18650-24E
Capacity:	2400mAh Rated
Voltage:	3.70V Nominal
Charging:	4.20V Maximum 1200mA Standard 2400mA Maximum
Discharging:	2.75V Cutoff 480mA Standard 4800mA Maximum
Description:	Blue Cell Wrapper White Insulator Ring 18650 Form Factor

	
Brand:	Samsung
Model:	ICR18650-20C
Capacity:	2000mAh Rated
Voltage:	3.70V Nominal
Charging:	4.20V Maximum 1000mA Standard --- mA Maximum
Discharging:	2.75V Cutoff 400mA Standard 4000mA Maximum
Description:	Blue (Light) Cell Wrapper White Insulator Ring 18650 Form Factor

	
Brand:	Panasonic
Model:	CGR18650AF
Capacity:	2050mAh Rated
Voltage:	3.60V Nominal
Charging:	4.20V Maximum 1365mA Standard 1365mA Maximum
Discharging:	3.00V Cutoff 390mA Standard 3900mA Maximum
Description:	Green Cell Wrapper White Insulator Ring 18650 Form Factor

	
Brand:	Samsung
Model:	INR18650-15Q
Capacity:	1500mAh Rated
Voltage:	3.60V Nominal
Charging:	4.20V Maximum 750mA Standard 4000mA Maximum
Discharging:	2.50V Cutoff 1500mA Standard 18000mA Maximum
Description:	Teal Cell Wrapper White Insulator Ring 18650 Form Factor


	
Brand:	LG
Model:	LGABE11865 (ICR18650E1)
Capacity:	3200mAh Rated
Voltage:	3.75V Nominal
Charging:	4.35V Maximum 1550mA Standard 2170mA Maximum
Discharging:	2.75V Cutoff 620mA Standard 4650mA Maximum
Description:	Teal Cell Wrapper White Insulator Ring 18650 Form Factor

	
Brand:	Samsung
Model:	INR18650-20Q
Capacity:	2000mAh Rated
Voltage:	3.60V Nominal
Charging:	4.20V Maximum 1000mA Standard 1000mA Maximum
Discharging:	2.00V Cutoff 400mA Standard 15000mA Maximum
Description:	Teal Cell Wrapper White Insulator Ring 18650 Form Factor

	
Brand:	Samsung
Model:	INR18650-13Q
Capacity:	1300mAh Rated
Voltage:	3.60V Nominal
Charging:	4.20V Maximum 910mA Standard 4000mA Maximum
Discharging:	2.50V Cutoff 4000mA Standard 15000mA Maximum
Description:	Teal Cell Wrapper White Insulator Ring 18650 Form Factor

	
Brand:	Samsung
Model:	ICR18650-22E
Capacity:	2200mAh Rated
Voltage:	3.70V Nominal
Charging:	4.20V Maximum 1100mA Standard 4400mA Maximum
Discharging:	2.75V Cutoff 440mA Standard 4400mA Maximum
Description:	Teal Cell Wrapper White Insulator Ring 18650 Form Factor

	
Brand:	Samsung
Model:	ICR18650-22F
Capacity:	2200mAh Rated
Voltage:	3.60V Nominal
Charging:	4.20V Maximum 1100mA Standard 2200mA Maximum
Discharging:	2.75V Cutoff 440mA Standard 4400mA Maximum
Description:	Green Cell Wrapper White Insulator Ring 18650 Form Factor

	
Brand:	Samsung
Model:	ICR18650-30B
Capacity:	2950mAh Rated
Voltage:	3.78V Nominal
Charging:	4.35V Maximum 1475mA Standard 2950mA Maximum
Discharging:	2.75V Cutoff 590mA Standard 5900mA Maximum
Description:	Green (Light) Cell Wrapper White Insulator Ring 18650 Form Factor

	
Brand:	Panasonic
Model:	NCR18650PD
Capacity:	2900mAh Rated
Voltage:	3.70V Nominal
Charging:	4.20V Maximum 825mA Standard --- mA Maximum
Discharging:	2.50V Cutoff 550mA Standard 10000mA Maximum
Description:	Green (Light) Cell Wrapper White Insulator Ring 18650 Form Factor

	
Brand:	Panasonic
Model:	CGR18650CG
Capacity:	2250mAh Rated
Voltage:	3.60V Nominal
Charging:	4.20V Maximum 1500mA Standard --- mA Maximum
Discharging:	3.00V Cutoff 430mA Standard 4330mA Maximum
Description:	Green (Light) Cell Wrapper White Insulator Ring 18650 Form Factor

	
Brand:	Panasonic
Model:	CGR18650A
Capacity:	2000mAh Rated
Voltage:	3.60V Nominal
Charging:	4.20V Maximum 1190mA Standard --- mA Maximum
Discharging:	3.00V Cutoff 370mA Standard 3800mA Maximum
Description:	Green (Light) Cell Wrapper White Insulator Ring 18650 Form Factor

	
Brand:	Samsung
Model:	INR18650-15Q (INR18650-15L)
Capacity:	1500mAh Rated
Voltage:	3.60V Nominal
Charging:	4.20V Maximum 750mA Standard 4000mA Maximum
Discharging:	2.50V Cutoff 1500mA Standard 18000mA Maximum
Description:	Green (Light) Cell Wrapper White Insulator Ring 18650 Form Factor

	
Brand:	LG
Model:	LGABC11865 (ICR18650C1)
Capacity:	2800mAh Rated
Voltage:	3.75V Nominal
Charging:	4.35V Maximum 1350mA Standard 2700mA Maximum
Discharging:	3.00V Cutoff 540mA Standard 4050mA Maximum
Description:	Brown (Light) Cell Wrapper White Insulator Ring 18650 Form Factor

	
Brand:	LG
Model:	LGDBHE41865 (INR18650HE4)
Capacity:	2500mAh Rated
Voltage:	3.60V Nominal
Charging:	4.20V Maximum 1250mA Standard 4000mA Maximum
Discharging:	2.50V Cutoff 500mA Standard 20000mA Maximum
Description:	Yellow Cell Wrapper White Insulator Ring 18650 Form Factor

	
Brand:	LG
Model:	LGABC21865 (ICR18650C2)
Capacity:	2800mAh Rated
Voltage:	3.72V Nominal
Charging:	4.30V Maximum 1350mA Standard 2700mA Maximum
Discharging:	3.00V Cutoff 540mA Standard 5400mA Maximum
Description:	Orange Cell Wrapper White Insulator Ring 18650 Form Factor

	
Brand:	LG
Model:	ICR18650S2 (LGDS218650)
Capacity:	2200mAh Rated
Voltage:	3.70V Nominal
Charging:	4.20V Maximum 1075mA Standard 2150mA Maximum
Discharging:	3.00V Cutoff 430mA Standard 4300mA Maximum
Description:	Peach Cell Wrapper White Insulator Ring 18650 Form Factor

	
Brand:	LG
Model:	LGDBHE21865 (IMR18650HE2)
Capacity:	2500mAh Rated
Voltage:	3.60V Nominal
Charging:	4.20V Maximum 1250mA Standard 4000mA Maximum
Discharging:	2.50V Cutoff 500mA Standard 20000mA Maximum
Description:	Red Cell Wrapper White Insulator Ring 18650 Form Factor

	
Brand:	Sanyo
Model:	UR18650ZY
Capacity:	2450mAh Rated
Voltage:	3.70V Nominal
Charging:	4.20V Maximum 1750mA Standard --- mA Maximum
Discharging:	2.75V Cutoff 490mA Standard 2450mA Maximum
Description:	Red Cell Wrapper Purple (Light) Insulator Ring 18650 Form Factor

	
Brand:	Sanyo
Model:	UR18650E
Capacity:	2000mAh Rated
Voltage:	3.60V Nominal
Charging:	4.20V Maximum 1400mA Standard --- mA Maximum
Discharging:	2.75V Cutoff 410mA Standard 6150mA Maximum
Description:	Red Cell Wrapper Purple (Grey) Insulator Ring 18650 Form Factor

	
Brand:	Sanyo
Model:	UR18650S
Capacity:	1100mAh Rated
Voltage:	3.70V Nominal
Charging:	4.20V Maximum 770mA Standard --- mA Maximum
Discharging:	2.50V Cutoff 220mA Standard --- mA Maximum
Description:	Red Cell Wrapper Orange Insulator Ring 18650 Form Factor

	
Brand:	Sanyo
Model:	UR18650WX
Capacity:	1500mAh Rated
Voltage:	3.70V Nominal
Charging:	4.20V Maximum 1050mA Standard --- mA Maximum
Discharging:	2.75V Cutoff 300mA Standard 10000mA Maximum
Description:	Red Cell Wrapper Blue (Cyan) Insulator Ring 18650 Form Factor

	
Brand:	Sanyo
Model:	NCR18650BF
Capacity:	3200mAh Rated
Voltage:	3.60V Nominal
Charging:	4.20V Maximum 1625mA Standard --- mA Maximum
Discharging:	2.50V Cutoff 1625mA Standard 3200mA Maximum
Description:	Red Cell Wrapper Brown Insulator Ring 18650 Form Factor

	
Brand:	Sanyo
Model:	UR18650SA
Capacity:	1200mAh Rated
Voltage:	3.70V Nominal
Charging:	4.20V Maximum 840mA Standard --- mA Maximum
Discharging:	2.50V Cutoff 240mA Standard 10000mA Maximum
Description:	Red Cell Wrapper Brown Insulator Ring 18650 Form Factor

	
Brand:	Sanyo
Model:	UR18650RX
Capacity:	1950mAh Rated
Voltage:	3.60V Nominal
Charging:	4.20V Maximum 1360mA Standard --- mA Maximum
Discharging:	2.75V Cutoff 390mA Standard 20000mA Maximum
Description:	Red Cell Wrapper Blue Insulator Ring 18650 Form Factor

	
Brand:	Sanyo
Model:	NCR18650GA
Capacity:	3300mAh Rated
Voltage:	3.60V Nominal
Charging:	4.20V Maximum 1475mA Standard --- mA Maximum
Discharging:	2.50V Cutoff 2000mA Standard 10000mA Maximum
Description:	Red Cell Wrapper Blue Insulator Ring 18650 Form Factor

 A yellow cylindrical battery with a black insulator ring at the negative terminal. The text on the battery includes: GP18650CH, 2200mAh, 3.6V, 7.92Wh, 15R19/66, 16-03-09, and R80000018N.	
Brand:	GP Batteries
Model:	GP18650CH
Capacity:	2200mAh Rated
Voltage:	3.60V Nominal
Charging:	4.20V Maximum 440mA Standard 2200mA Maximum
Discharging:	2.75V Cutoff 440mA Standard 6600mA Maximum
Description:	Yellow (Dark) Cell Wrapper Black Insulator Ring 18650 Form Factor

 A yellow cylindrical battery with a black insulator ring at the negative terminal. The text on the battery includes: MOLI FSPE.80043.2488 01, ICR-18650H, and MADE IN TAIWAN.	
Brand:	Moli Energy
Model:	ICR-18650H
Capacity:	2100mAh Rated
Voltage:	3.70V Nominal
Charging:	4.20V Maximum 1250mA Standard 2200mA Maximum
Discharging:	3.00V Cutoff 4400mA Standard 5000mA Maximum
Description:	Yellow (Light) Cell Wrapper Black Insulator Ring 18650 Form Factor